

# Material Safety Data Sheet



## Cutless\* 0.33G Landscape Growth Regulator

### 1. Product and company identification

<b>Product name</b>	: Cutless* 0.33G Landscape Growth Regulator
<b>EPA Registration Number</b>	: 67690-13
<b>Material uses</b>	: Landscape Growth Regulator.
<b>Supplier/Manufacturer</b>	: <b>SePRO Corporation</b> 11550 North Meridian Street Suite 600 Carmel, IN 46032 U.S.A. Tel: 317-580-8282 Toll free: 1-800-419-7779 Fax: 317-428-4577 Monday - Friday, 8am to 5pm E.S.T. <b>www.sepro.com</b>
<b>Responsible name</b>	: Atrion Regulatory Services, Inc.
<b>In case of emergency</b>	: <b>INFOTRAC - 24-hour service 1-800-535-5053</b>

### 2. Hazards identification

<b>Physical state</b>	: Solid. Free-flowing granules.
<b>Odor</b>	: Aromatic. [Slight]
<b>OSHA/HCS status</b>	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
<b>Emergency overview</b>	: <b>CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE.</b>
<b>Routes of entry</b>	: Dermal contact. Eye contact. Inhalation. Ingestion.
<b>Potential acute health effects</b>	
<b>Inhalation</b>	: No known significant effects or critical hazards.
<b>Ingestion</b>	: No known significant effects or critical hazards.
<b>Skin</b>	: No known significant effects or critical hazards.
<b>Eyes</b>	: No known significant effects or critical hazards.
<b>Potential chronic health effects</b>	
<b>Chronic effects</b>	: Contains material that can cause target organ damage.
<b>Carcinogenicity</b>	: No known significant effects or critical hazards.
<b>Mutagenicity</b>	: No known significant effects or critical hazards.
<b>Teratogenicity</b>	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
<b>Fertility effects</b>	: No known significant effects or critical hazards.
<b>Target organs</b>	: Contains material which causes damage to the following organs: upper respiratory tract, skin, eye, lens or cornea.
<b>Over-exposure signs/symptoms</b>	
<b>Inhalation</b>	: No specific data.
<b>Ingestion</b>	: No specific data.
<b>Skin</b>	: No specific data.
<b>Eyes</b>	: No specific data.
<b>Medical conditions aggravated by over-exposure</b>	: Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (section 11)

### 3. Composition/information on ingredients

United States			
Name	CAS number	%	
<b>Active ingredient:</b>			
5-pyrimidinemethanol, alpha-(1-methylethyl)-alpha-(4-(trifluoromethoxy)phenyl)-	56425-91-3	0.33	
<b>Inert ingredient:</b>			
Proprietary Granule	Proprietary	60-100	
Proprietary Alcohol	Proprietary	5-10	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

### 4. First aid measures

- Eye contact** : Check for and remove any contact lenses. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.
- Skin contact** : Wash with soap and water. Get medical attention if symptoms occur.
- Inhalation** : If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms appear.
- Ingestion** : Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- Notes to physician** : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

### 5. Fire-fighting measures

- Flammability of the product** : May be combustible at high temperature.
- Extinguishing media**
- Suitable** : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.
- Not suitable** : None known.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
metal oxide/oxides  
If product is involved in fire, oxides of nitrogen and other toxic gases may be formed.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### 6. Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up**
- Small spill** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

## 7. Handling and storage

- Handling** : Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. Exposure controls/personal protection


	<b>United States</b>
<b>Product name</b>	<b>Exposure limits</b>
Proprietary Alcohol	<b>AIHA WEEL (United States, 1/2008).</b> TWA: 10 mg/m <sup>3</sup> 8 hour(s).
Proprietary Granule	<b>OSHA PEL 1989 (United States, 3/1989).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s). Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hour(s). Form: Total dust <b>NIOSH REL (United States, 6/2008).</b> TWA: 5 mg/m <sup>3</sup> 10 hour(s). Form: Respirable fraction TWA: 10 mg/m <sup>3</sup> 10 hour(s). Form: Total <b>OSHA PEL (United States, 11/2006).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s). Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hour(s). Form: Total dust <b>ACGIH TLV (United States, 1/2005). Notes:</b> <b>1996 Adoption Refers to Appendix A --</b> <b>Carcinogens.</b> TWA: 10 mg/m <sup>3</sup> 8 hour(s). Form: All forms. <b>ACGIH TLV (United States, 1/2008). Notes:</b> <b>1996 Adoption Refers to Appendix A --</b> <b>Carcinogens.</b> TWA: 10 mg/m <sup>3</sup> 8 hour(s). <b>NIOSH REL (United States, 6/2008).</b> TWA: 5 mg/m <sup>3</sup> 10 hour(s). Form: Respirable fraction TWA: 10 mg/m <sup>3</sup> 10 hour(s). Form: Total <b>OSHA PEL (United States, 11/2006).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s). Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hour(s). Form: Total dust

Consult local authorities for acceptable exposure limits.

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.  
**Applicators should refer to the product label for personal protective clothing and equipment.**
- Engineering measures** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal protection

- Eyes** : Safety glasses.
- Skin** : Lab coat.

- Respiratory** : A respirator is not needed under normal and intended conditions of product use.
- Hands** : Disposable vinyl gloves.
- Personal protective equipment (Pictograms)** : 
- HMIS Code/Personal protective equipment** : A
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9 . Physical and chemical properties

- Physical state** : Solid. Free-flowing granules.
- Color** : Whitish.- Grayish- Tan.
- Odor** : Aromatic. [Slight]
- pH** : 5 to 7 [50% Slurry.]
- Relative density** : 40 to 55 lb/ft<sup>3</sup>
- Solubility** : Very slightly soluble in the following materials: cold water and hot water.

## 10 . Stability and reactivity

- Stability** : The product is stable.
- Hazardous polymerization** : Under normal conditions of storage and use, hazardous polymerization will not occur.
- Conditions to avoid** : No specific data.
- Materials to avoid** : Reactive or incompatible with the following materials: oxidizing materials and acids.  
Non-reactive or compatible with the following materials: reducing materials, combustible materials, organic materials, metals, alkalis and moisture.
- Hazardous decomposition products** : If product is involved in fire, oxides of nitrogen and other toxic gases may be formed.  
  
Flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat and shocks and mechanical impacts.

## 11 . Toxicological information

### Acute toxicity

Product/ingredient name	Species	Dose	Result	Exposure
Proprietary Alcohol	Rabbit	20800 mg/kg	LD50 Dermal	-
	Rat	20 g/kg	LD50 Oral	-

- Inhalation** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.
- Skin** : No known significant effects or critical hazards.
- Eyes** : No known significant effects or critical hazards.

### Carcinogenicity

#### Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Proprietary Granule	A4	-	-	-	-	-

## 12 . Ecological information

**Environmental effects** : No known significant effects or critical hazards.

### Aquatic ecotoxicity

Product/ingredient name	Test	Species	Exposure	Result
Proprietary Alcohol	-	Daphnia	48 hours	Acute EC50 >10000000 ug/L
	-	Fish	96 hours	Acute LC50 710000 ug/L
	-	Daphnia	48 hours	Acute LC50 4919 mg/L
	-	Fish	96 hours	Chronic NOEC 600000 ug/L
	-	Daphnia	48 hours	Chronic NOEC 660000 ug/L

## 13 . Disposal considerations

**Waste disposal** : The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## 14 . Transport information

**AERG** : Not applicable.

### Regulatory information

**DOT/IMDG/IATA** : Not regulated by any transport mode.

## 15 . Regulatory information

### United States

**HCS Classification** : Target organ effects

**U.S. Federal regulations** : **United States inventory (TSCA 8b)**: All components are listed or exempted.

**SARA 302/304/311/312 extremely hazardous substances** : No products were found.

**SARA 302/304 emergency planning and notification** : No products were found.

**SARA 302/304/311/312 hazardous chemicals** : Proprietary Alcohol; Proprietary Granule; Proprietary Granule

**SARA 311/312 MSDS distribution - chemical inventory - hazard identification** :

Proprietary Alcohol: Immediate (acute) health hazard, Delayed (chronic) health hazard;

Proprietary Granule: Immediate (acute) health hazard; Proprietary Granule: Immediate

(acute) health hazard, Delayed (chronic) health hazard

**Clean Water Act (CWA) 307**: No products were found.

**Clean Water Act (CWA) 311**: No products were found.

**Clean Air Act (CAA) 112 accidental release prevention** : No products were found.

**Clean Air Act (CAA) 112 regulated flammable substances** : No products were found.

**Clean Air Act (CAA) 112 regulated toxic substances** : No products were found.

### State regulations

: **Connecticut Carcinogen Reporting**: None of the components are listed.

**Connecticut Hazardous Material Survey**: None of the components are listed.

**Florida substances**: None of the components are listed.

**Illinois Chemical Safety Act**: None of the components are listed.

**Illinois Toxic Substances Disclosure to Employee Act**: None of the components are listed.

**Louisiana Reporting**: None of the components are listed.

**Louisiana Spill**: None of the components are listed.

**Massachusetts Spill**: None of the components are listed.

**Massachusetts Substances**: The following components are listed: Proprietary Granule

**Michigan Critical Material**: None of the components are listed.

**Minnesota Hazardous Substances:** None of the components are listed.  
**New Jersey Hazardous Substances:** None of the components are listed.  
**New Jersey Spill:** None of the components are listed.  
**New Jersey Toxic Catastrophe Prevention Act:** None of the components are listed.  
**New York Acutely Hazardous Substances:** None of the components are listed.  
**New York Toxic Chemical Release Reporting:** None of the components are listed.  
**Pennsylvania RTK Hazardous Substances:** The following components are listed:  
 Proprietary Granule; Proprietary Alcohol  
**Rhode Island Hazardous Substances:** None of the components are listed.

- California Prop. 65** : No products were found.
- International regulations**
- International lists** : This product, (and its ingredients) is (are) listed on national inventories, or is (are) exempted from being listed, in Australia (AICS), in Europe (EINECS/ELINCS), in Korea (TCCL), in Japan (METI), in the Philippines (RA6969).

## 16 . Other information

**Label requirements** : **CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE.**

**Hazardous Material Information System (U.S.A.)** : **HAZARD RATINGS**

Health	*	1
Fire hazard		0
Physical Hazard		0
Personal protection		A

4- Extreme  
 3- Serious  
 2- Moderate  
 1- Slight  
 0- Minimal  
 See section 8 for more detailed information on personal protection.

The customer is responsible for determining the PPE code for this material.

**National Fire Protection Association (U.S.A.)** :



**References** : ANSI Z400.1, MSDS Standard, 2004. - Manufacturer's Material Safety Data Sheet. - 29CFR Part1910.1200 OSHA MSDS Requirements. - 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG.

**Date of issue** : 03/15/2009

**Version** : 1

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The data in this MSDS relates only to the specific material designated herein. Possible adverse effects (see Section 2, 11 and 12) may occur if this material is not handled in the recommended manner.