

HOW TO LOWER THE HIGH COST OF WEEDING.

DON'T PICK WEEDS – PICK GALLERY* SPECIALTY HERBICIDE.

WHEN TO APPLY

- Just before target weeds appear.
- A fall application makes a great treatment because it will stop winter, fall and many spring-germinating weeds.
- One application may control broadleaf weeds year-round in Northern states.
- Two applications may be needed in Southern states.



HOW TO APPLY ALONE

- Use a well-calibrated low-pressure herbicide sprayer. Spray tip screens should be no finer than 50 mesh.
- Make sure spray equipment is clean and not dirty with other herbicides.
- Use clean water.
- Fill tank halfway.

- Start mixing, and continue during filling and application.
- Slowly add the right amount of Gallery* to the tank.
- Mixing should create a rippling or rolling action on the top of the liquid.
- Check often to make sure equipment is spraying evenly.



APPLICATION RATES



Lb per acre	Oz per 1,000 sq ft	Grams per 1,000 sq ft
0.66	0.25	7.0
1.00	0.38	10.5
1.33	0.50	14.0

SPRAY DRIFT

- Avoid spray drift when applying, otherwise non-target plants near the treated area may not germinate or emerge.



WATERING

- A single rainfall or sprinkler irrigation of 0.5 inch or more, or flood irrigation after application is needed to activate.
- It stays on the surface for up to 21 days.



CLEANING UP

- Clean spray tank, lines and screens thoroughly after use.

WHERE TO APPLY

- In ornamentals and turf.



HOW TO STORE

- In original container, and not in direct sunlight.
- Do not store at temperatures higher than 120 F.

Dow AgroSciences
Gallery[®]
 Specialty Herbicide

*Trademark of Dow AgroSciences LLC
 Always read and follow label directions.
 T07081001 (BR) 02/04 010-60224