



Country Club®

**C O M P O S I T E
T E C H N O L O G Y®**

FERTILIZER


GREENS GRADE FORMULA
FINE HOMOGENEOUS GRANULES FOR CLOSE TURF
COVERS 8,000 Sq. Ft.

16-4-8



GUARANTEED ANALYSIS

Total Nitrogen (N)	16%
14.4% Ammoniacal Nitrogen	
1.6% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	4%
Soluble Potash (K ₂ O)	8%
Sulfur (S)	15.0%
15.0% Combined Sulfur (S)	
Iron (Fe)	1.0%
0.1% Water Soluble Iron (Fe)	
Manganese (Mn)	0.5%
0.5% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Urea, Sulfate of Potash, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.	
Chlorine (Cl) not more than	2.0%



F699 **21-41456**

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at:
<http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/gf/bmp07.pdf>

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

DIRECTIONS FOR USE:

To feed established turf during cool seasons at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft. apply this product at 5.6 lbs. per 1,000 sq. ft. or 245 lbs. per acre.
To feed established turf during warm seasons at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.13 lbs. per 1,000 sq. ft. or 136 lbs. per acre.

Product should be watered in thoroughly immediately after application, particularly during warm seasons.

SUGGESTED SPREADER SETTINGS

Spreader	Speed		Width of Coverage	Settings		Spreader	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		Regular (0.9#N)	Half (0.5#N)		Ground MPH	PTO RPM		Regular (0.9#N)	Half (0.5#N)
LebanonTurf	3		8 ft.	5	4	Lesco® (Letter/Numeric Dial)	3		8 ft.	J/21	G/15
Andersons AccuPro®	3		8 ft.	M	H	PennMulch® HVO	3		8 ft.	N	J
Earthway® Rotary	3		8 ft.	16	14	ProScape® SS	3		8 ft.	N	J
Gandy®	3			28	24	Spyker	3		8 ft.	5	4
Lely (HR, W, 1250, 1500, 2010)	5	425	39 ft.	6II	5II	Vicon (all models)	5	540	35 ft.	26	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

**KEEP OUT OF REACH OF CHILDREN.
CAUTION**

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042

50 Lbs. (22.7 kg) Net Weight

GREENS GRADE FORMULA

FINE HOMOGENEOUS GRANULES FOR CLOSE TURF

COVERS 8,000 Sq. Ft.

16-4-8



GUARANTEED ANALYSIS

Total Nitrogen (N)	16%
14.4% Ammoniacal Nitrogen	
1.6% Urea Nitrogen	
Available Phosphate (P₂O₅)	4%
Soluble Potash (K₂O)	8%
Sulfur (S)	15.0%
15.0% Combined Sulfur (S)	
Iron (Fe)	1.0%
0.1% Water Soluble Iron (Fe)	
Manganese (Mn)	0.5%
0.5% Water Soluble Manganese (Mn)	
Derived From: Ammonium Phosphate, Ammonium Sulfate, Urea, Sulfate of Potash, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.	
Chlorine (Cl) not more than	2.0%



F699 **21-41456**

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at:
<http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glbmp07.pdf>

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

DIRECTIONS FOR USE:

To feed established turf during cool seasons at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft. apply this product at 5.6 lbs. per 1,000 sq. ft. or 245 lbs. per acre.
 To feed established turf during warm seasons at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.13 lbs. per 1,000 sq. ft. or 136 lbs. per acre.

Product should be watered in thoroughly immediately after application, particularly during warm seasons.

SUGGESTED SPREADER SETTINGS

Spreader	Speed		Width of Coverage	Settings		Spreader	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		Regular (0.9#N)	Half (0.5#N)		Ground MPH	PTO RPM		Regular (0.9#N)	Half (0.5#N)
LebanonTurf	3		8 ft.	5	4	Lesco® (Letter/Numeric Dial)	3		8 ft.	J/21	G/15
Andersons AccuPro®	3		8 ft.	M	H	PennMulch® HVO	3		8 ft.	N	J
Earthway® Rotary	3		8 ft.	16	14	ProScape® SS	3		8 ft.	N	J
Gandy®	3			28	24	Spyker	3		8 ft.	5	4
Lely (HR, W, 1250, 1500, 2010)	5	425	39 ft.	6II	5II	Vicon (all models)	5	540	35 ft.	26	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

KEEP OUT OF REACH OF CHILDREN. CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042

50 Lbs. (22.7 kg) Net Weight