

Pro LEBANON Scape®

HOMOGENEOUS FERTILIZER WITH CONFRONT® HERBICIDE BROADLEAF WEED CONTROL

19-0-7

GUARANTEED ANALYSIS

Total Nitrogen (N).....	19%
7.8% Ammoniacal Nitrogen	
5.7% Water Insoluble Nitrogen*	
1.1% Urea Nitrogen	
4.4% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O).....	7%
Sulfur (S).....	8.2%
8.2% Combined Sulfur (S)	
Iron (Fe).....	1.0%
0.10% Water Soluble Iron (Fe)	
Derived from: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.	
Chlorine (Cl) not more than.....	7.0%
*10.1% Slowly Available Nitrogen from Methylene Ureas.	F699



21-54348

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

PennMulch® and ProScape® are registered trademarks of Lebanon Seaboard Corporation.

SPREADER SETTINGS	Rate in pounds per 1,000 Sq. Ft.		
	3.1	3.6	
LebanonTurf	4½	4¾	These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.
Andersons AccuPro 2000/SR-2000	K	L	
Earthway Rotary	15	16	
Gandy	26	27	
Lely	5II	5½II	
Lesco (letter dial/numeric dial)	I / 17	J / 21	
PennMulch® HVO/PrizeLAWN® BF-HVO	K	L	
ProScape® SS/PrizeLAWN® BF-1/SS/CBR III	K	L	
Spyker Rotary	4½	4¾	
Vicon	24	25	

DO NOT USE ON RESIDENTIAL TURF. TURFGRASS AND LAWN USES ARE RESTRICTED TO NON-RESIDENTIAL SITES.

TO BE APPLIED ONLY UNDER THE DIRECT SUPERVISION OF LICENSED PESTICIDE APPLICATORS RESPONSIBLE FOR TURF WEED CONTROL PROGRAMS.

- Selectively controls annual and perennial broadleaf weeds
- Provides a feeding of fertilizer

ACTIVE INGREDIENTS:

triclopyr: 3,5,6 trichloro-2-pyridinyloxyacetic acid, triethylamine salt.....	0.50%
clopyralid: 3,6-dichloro-2-pyridinyloxyacetic acid, triethylamine salt.....	0.18%

OTHER INGREDIENTS	<u>99.32%</u>
TOTAL	100.00%

Acid Equivalent: triclopyr - 0.36% clopyralid - 0.12%

Product of USA

EPA Reg. No. 62719-262-961

Confront® is a trademark of Dow AgroSciences LLC.

(L) (D)

EPA Est. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

KEEP OUT OF REACH OF CHILDREN WARNING

See back panel for additional Precautionary Statements.

Notice: Read the entire label. Use only according to label directions. Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies elsewhere on this label. If terms are unacceptable, return at once unopened.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.



Distributed by:
Lebanon Seaboard Corporation
 1600 E. Cumberland St. • Lebanon, PA 17042
 Made in the U.S.A.

NET WEIGHT **40** LBS. (18.14 KG)

HOMOGENEOUS FERTILIZER

WITH

CONFRONT® HERBICIDE

BROADLEAF WEED CONTROL

19-0-7

GUARANTEED ANALYSIS

Total Nitrogen (N)	19%
7.8% Ammoniacal Nitrogen	
5.7% Water Insoluble Nitrogen*	
1.1% Urea Nitrogen	
4.4% Other Water Soluble Nitrogen*	
Soluble Potash (K₂O)	7%
Sulfur (S)	8.2%
8.2% Combined Sulfur (S)	
Iron (Fe)	1.0%
0.10% Water Soluble Iron (Fe)	
Derived from: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.	
Chlorine (Cl) not more than	7.0%
*10.1% Slowly Available Nitrogen from Methylene Ureas.	F699



21-54348

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

PennMulch® and ProScape® are registered trademarks of Lebanon Seaboard Corporation.

SPREADER SETTINGS	Rate in pounds per 1,000 Sq. Ft.		
	3.1	3.6	
LebanonTurf	4½	4¾	These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.
Andersons AccuPro 2000/SR-2000	K	L	
Earthway Rotary	15	16	
Gandy	26	27	
Lely	5II	5½II	
Lesco (letter dial/numeric dial)	I / 17	J / 21	
PennMulch® HVO/PrizeLAWN® BF-HVO	K	L	
ProScape® SS/PrizeLAWN® BF-1/SS/CBR III	K	L	
Spyker Rotary	4½	4¾	
Vicon	24	25	

DO NOT USE ON RESIDENTIAL TURF.

TURFGRASS AND LAWN USES ARE RESTRICTED TO NON-RESIDENTIAL SITES.

TURF GRASS AND LAWN USES ARE RESTRICTED TO NON-RESIDENTIAL SITES.

TO BE APPLIED ONLY UNDER THE DIRECT SUPERVISION OF LICENSED PESTICIDE APPLICATORS RESPONSIBLE FOR TURF WEED CONTROL PROGRAMS.

- Selectively controls annual and perennial broadleaf weeds
- Provides a feeding of fertilizer

ACTIVE INGREDIENTS:

triclopyr: 3,5,6 trichloro-2-pyridinyloxyacetic acid, triethylamine salt	0.50%
clopyralid: 3,6-dichloro-2-pyridinyloxyacetic acid, triethylamine salt	0.18%

OTHER INGREDIENTS 99.32%

TOTAL 100.00%

Acid Equivalent: triclopyr - 0.36% clopyralid - 0.12%

Product of USA

EPA Reg. No. 62719-262-961

Confront® is a trademark of Dow AgroSciences LLC.

(L) (D)

EPA Est. 961-PA-01:961-IL-01

Superscript used is first letter of lot number.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See back panel for additional Precautionary Statements.

Notice: Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies elsewhere on this label. If terms are unacceptable, return at once unopened.**

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.



Distributed by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

NET WEIGHT 40 LBS. (18.14 KG)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes Substantial But Temporary Eye Injury • Harmful If Absorbed Through The Skin.

Do not get in eyes or on clothing. Avoid contact with skin. Wear long-sleeved shirt and long pants, socks and shoes, goggles or face shield and chemical resistant gloves made of rubber or other waterproof material. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

User Safety Recommendations

- Users should:
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
 - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Clopyralid is a chemical which can travel (seep or leach) through soil and under certain conditions contaminate ground water which may be used for irrigation or drinking purposes. Users are advised not to apply clopyralid where soils have a rapid to very rapid permeability throughout the profile (such as loamy sand to sand) and the water table of an over limestone bedrock, severely fractured surfaces, and substrates which would allow direct introduction into an aquifer. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use before applying.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a clean, dry area away from extremes of heat and cold and out of direct sunlight.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available, or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

GENERAL INFORMATION

This turf fertilizer product contains Confront herbicide which is a broad spectrum weed killer that will control broadleaf weeds in established cool season and warm season turfgrass.

Lebanon Proscape Homogeneous Fertilizer with Confront Herbicide is recommended for use on the following turf species:

Established Cool Season Turfgrasses

Common Name	Scientific Name
bluegrass, Kentucky	<i>Poa pratensis</i>
fescue, chewings	<i>Festuca rubra</i> var. <i>commutata</i>
fescue, creeping red	<i>Festuca rubra</i>
fescues, sheeps	<i>Festuca ovina</i>
fescue, tall	<i>Festuca arundinaceae</i>
ryegrass, perennial	<i>Lolium perenne</i>

Established Warm Season Turfgrasses⁺

Common Name	Scientific Name
bahiagrass (Argentine or Pensacola)	<i>Paspalum spp.</i>
Bermudagrass ²	<i>Cynodon dactylon</i> (common bermuda only)
buffalograss	<i>Buchloe dactyloides</i>
centipedegrass	<i>Eremochloa ophiuroides</i>
fescue, tall (growing in warm season area)	<i>Festuca arundinaceae</i>
zoysiagrass	<i>Zoysia japonica</i>
zoysiagrass	<i>Zoysia tenuifolia</i>

†Do not treat warm season turfgrasses with Lebanon Proscape Homogeneous Fertilizer with Confront Herbicide when the mowing height is less than 1/2 inch.

Lebanon Proscape Homogeneous Fertilizer with Confront Herbicide may discolor and/or stunt turf that is not well-established or is stressed or weakened due to unfavorable climatic conditions, temperature extremes, drought, nematodes, or other factors which damage or weaken turf.

Apply Lebanon Proscape Homogeneous Fertilizer with Confront Herbicide only to healthy, well-established turf that has a well-anchored root system.

Bermudagrass, centipedegrass, zoysiagrass, and bahiagrass may be temporarily discolored by Lebanon Proscape Homogeneous Fertilizer with Confront Herbicide.

² Do not apply Confront to bermudagrass on sod farms.

APPLICATION PRECAUTIONS AND RESTRICTIONS

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

In **California, Oregon** and **Washington**, turfgrass and lawn uses are restricted to golf courses only.

- Florida Applications: For application to sports turf (non-agricultural land planted exclusively for golf courses, parks and athletic fields), follow “SL191, ‘Recommendations for N, P, K and Mg for Golf Course & Athletic Field Fertilization Base on Mehlich I Extractant’” available at <http://edis.ifas.ufl.edu/SS404>, or “BMP’s for Enhancement of Environmental Quality on Florida’s Golf Courses” available at <http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/gfjbmp07.pdf>.

- Florida Applications: For application to urban turf (non-agricultural land planted in closely mowed, managed grasses except golf courses, parks and athletic fields), follow “Best Management Practices for Protection of Water Resources in Florida, June 2002, Florida Green Industries” available at http://www.dep.state.fl.us/central/Home/MeetingsTraining/FLGreen/BMP_Book_final.pdf.

Do not use on residential turf. Turfgrass and lawn uses are restricted to non-residential sites.

Apply this product only as specified on this label.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Entry Restrictions: Do not enter or allow others to enter the treated area until dusts have settled.

Do not apply to exposed roots of shallow rooted trees and shrubs and allow to contact exposed suckers or injury may occur.

Do not apply Lebanon Proscape Homogeneous Fertilizer with Confront Herbicide directly to, or otherwise permit it to come into direct contact with cotton, grapes, tobacco, vegetables, flowers, fruit or ornamental trees, or other nontarget broadleaf plants.

Do not reseed until 4 weeks after application.

Do not use Lebanon Proscape Homogeneous Fertilizer with Confront Herbicide on golf course putting greens and tees.

Do not send grass clippings to a compost facility.

Do not collect grass clippings for mulch or compost. Applicator must give notice to landowners/property managers to not use grass clippings for composting.

Do not apply on ditches used to transport irrigation water.

Do not contaminate water used for irrigation or domestic purposes.

Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.

Do not contaminate feed or foodstuffs.

Do not graze treated areas. Do not feed clippings to livestock.

Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect nontarget plants.

Do not apply at greater than recommended rates, especially under the branch spread (dripline) of trees.

Do not seed, sod, or sprig after application. Delay until no sooner than 4 weeks after application.

Do not apply Lebanon Proscape Homogeneous Fertilizer with Confront Herbicide to bentgrass; hybrid bermudagrass varieties such as Tifway, Tifdwarf, and Tifgreen; St. Augustinegrass; and ground covers such as lippia.

On bahiagrass and centipedegrass, do not apply before mid-March or until after the second mowing of the year. In the fall, do not treat centipedegrass after the first of October or bahiagrass after the first of November.

Treatment of Turf Species Not Listed on the Confront Fertilizer Label

Users who wish to use Lebanon Proscape Homogeneous Fertilizer with Confront Herbicide on turf species not recommended on this label may determine the suitability for such uses by treating a small area at a recommended rate. Prior to treatment of larger areas, the treated area should be observed for any sign of herbicidal injury during 30 days of normal growing conditions to determine if the treatment is safe to the target species. The user assumes the responsibility for any plant damage or other liability resulting from the use of this product on species not recommended on this label.

APPLICATION DIRECTIONS

Make application using equipment that will ensure uniform coverage. Application should be made when weeds are actively growing. Good soil moisture conditions should be present before application to achieve optimal results. Application under drought conditions may provide less than desirable results. Broadleaf weed species germinate at different times. Only emerged weeds present at time of application are controlled.

Additional applications should not be made less than 4 weeks apart to minimize grass injury. Newly seeded turf should be mowed 4 times before being treated.

WEEDS CONTROLLED BY LEBANON PROSCAPE HOMOGENEOUS FERTILIZER WITH CONFRONT HERBICIDE

Apply Lebanon Proscape Homogeneous Fertilizer with Confront Herbicide to moist or dry foliage at the NORMAL RATE (0.65 lb. ai/A) to control the following weeds:

black medic	catsear (coast dandelion)	false dandelion	hop clover	red clover
bristly hawksbeard	common dandelion	hawkweed	narrow leaf plantain (buckhorn)	white clover
broadleaf plantain				

Note: Moist foliage application will provide quicker results. For best herbicide effect when applying to dry foliage, apply when good soil moisture conditions are present.

Apply Lebanon Proscape Homogeneous Fertilizer with Confront Herbicide to moist foliage at the HEAVY RATE (0.75 lb. ai/A) to control the following weeds:

creeping beggarweed	curly dock	lespedeza	slender speedwell	Virginia pepperweed
dwarf beggarweed	dollarweed	matchweed	smartweed	wild buckwheat
burdock	English lawn daisy	poison ivy	spurweed	common yellow woodsorrel
coffee weed	goldenrod	common ragweed	Canada thistle	creeping woodsorrel
common chickweed	ground ivy	roundleaf mallow	musk thistle	prostrate spurge
mouseear chickweed	henbit	sheep sorrel	old world diamond flower	wild violet
common cocklebur	lambquarters	shepherdspurse	common vetch	Virginia buttonweed

A repeat application may be needed for harder to control weeds in 4 to 6 weeks.

TERMS AND CONDITIONS OF USE

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

WARRANTY DISCLAIMER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by Buyer.

LIMITATION OF REMEDIES

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller or the Seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

DISTRIBUTED BY:

LEBANON SEABOARD CORPORATION

1600 EAST CUMBERLAND STREET

LEBANON, PA 17042

Information regarding the contents and levels of metals in this product is available
on the Internet at <http://www.regulatory-info-lebsea.com>