



# MATERIAL SAFETY DATA SHEET

## Brewer's Defoamer

MSDS DATE: *revised 7/31/2012*

---

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

---

PRODUCT IDENTIFIER: Brewer's Defoamer

PRODUCT USE: Agriculture, forestry, fishery  
Adjuvants, Surface active agents  
Industrial spraying  
Wide dispersive outdoor use of processing aids in open systems

SUPPLIER DETAILS: Name: Brewer International, Incorporated  
Address: PO Box 690037  
Vero Beach, FL 32969  
Phone: (800) 228-1833  
Fax: (772) 778-2490

EMERGENCY PHONE: Chem Tel (800) 255-3924 available 24 hours

---

### SECTION 2: HAZARDS IDENTIFICATION

---

**OSHA REGULATORY STATUS:** This product is considered not hazardous under 29 CFR 1910.1200

#### EMERGENCY OVERVIEW

**ROUTES OF ENTRY:** Eye Contact, Skin Contact, Inhalation, Ingestion

#### HEALTH EFFECTS

Eyes: May cause slight eye irritation.

Skin: No harmful effects expected.

Inhalation: No harmful effects expected in amounts likely to be inhaled by accident.

Ingestion: No harmful effects expected in amounts likely to be ingested by accident.

Chronic: No harm from prolonged or repeated exposure expected.

---

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

---

**INGREDIENT:** Polysiloxane Oil in Water Emulsion

CAS #	WT%
Not Applicable	100

---

### SECTION 4: FIRST AID MEASURES

---

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

**IF ON SKIN:** Wash with plenty of soap and water. If skin irritation occurs, get medical attention.

**IF SWALLOWED:** Rinse mouth. Call a doctor if you feel unwell.



# MATERIAL SAFETY DATA SHEET

## Brewer's Defoamer

MSDS DATE: *revised 7/31/2012*

**IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.

---

### SECTION 5: FIRE-FIGHTING MEASURES

---

**FLASH POINT:**

F: >212

C: >200

**SUITABLE EXTINGUISHING MEDIA:** Water, Dry chemicals, foam, carbon dioxide, water spray or fog.

**UNSUITABLE EXTINGUISHING MEDIA:** None

**SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:** Incomplete combustion may produce silica, carbon monoxide, or carbon dioxide. Burning may produce noxious and toxic fumes. This product can generate formaldehyde at temperatures >300°F(150°).

**SPECIAL PROTECTIVE ACTIONS FOR FIRE-FIGHTERS:** Evacuate the area promptly. Do not scatter spilled material with high pressure water streams. Use water spray to cool unopened containers. Wear self-contained breathing apparatus and full protective clothing.

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**PERSONAL PRECAUTIONS:** Keep unnecessary personnel away. **DO NOT** touch damaged containers or spilled material unless wearing appropriate protective gear. Keep people away from and upwind of spill/leak. Keep out of low areas. Ensure adequate ventilation. Ventilate closed spaces before entering them. Material can create slippery conditions.

**ENVIRONMENTAL PRECAUTIONS:** Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers ditches and waterways.

**METHODS FOR CONTAINMENT: ELIMINATE** all ignition sources (no smoking, flares, sparks or flames in the immediate area). Stop the flow of the material and dike spill area when possible without exposure to unnecessary risk.

**METHODS FOR CLEANING UP: DO NOT** release this product into the environment. Use equipment rated for use around combustible materials. For large spills, absorb spilled liquid with suitable non-combustible absorbent material such as dirt or sand. For small spills, wipe up with suitable absorbent material such as cloth. Clean exposed surfaces thoroughly to remove any residual contamination. Never return spills to original containers for re-use. Dispose any contaminated absorbents appropriately. For waste disposal, see section 13 of this MSDS.

---

### SECTION 7: HANDLING AND STORAGE

---

**PRECAUTIONS FOR SAFE HANDLING:** Wash hands after handling. **DO NOT** breathe mist, vapors or spray. Use only out doors or in a well-ventilated area. **DO NOT** get in eyes, on skin or on clothing. Avoid prolonged and repeated contact. **DO NOT** swallow. Eating, drinking and smoking in work areas is prohibited.

**STORAGE:** Store in a well-ventilated place with proper sprinkler/fire deterrent system. Avoid elevated temperatures. Keep container tightly closed. **DO NOT** cut, drill, grind or weld on or near this container. Keep out of the reach of children.



# MATERIAL SAFETY DATA SHEET

## Brewer's Defoamer

MSDS DATE: *revised 7/31/2012*

---

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

INGREDIENT(S)	EXPOSURE LIMITS
Polysiloxane Oil in Water Emulsion	OSHA PEL: Not Established ACGIH TWA: Not Established ACGIH STEL: Not Established

PEL= Permissible Exposure Limits  
TWA= Time Weighted Average  
STEL= Short term Exposure Limit

ACGIH= American Conference of Governmental Industrial Hygienists  
OSHA= Occupational Safety and Health Administration

**ENGINEERING CONTROLS:** Use local exhaust when misting occurs. Natural ventilation is adequate in absence of mists. Keep away from sparks and flames.

**RESPIRATORY PROTECTION:** No personal respiratory protective equipment normally required. An approved respirator should be worn if proper ventilation is not maintained.

**EYE PROTECTION:** If material could be misted or splashed into eyes, wear safety glasses with side shields (or goggles). Eye wash fountain should be available.

**SKIN PROTECTION:** Impervious gloves are recommended. Boots, apron, bodysuit, or other suitable protective clothing should be worn as necessary.

**WORK HYGIENIC PRACTICES:** When using, do not eat, drink or smoke. Do not get in eyes. Do not get this material in contact with skin. Wash hands and face before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Have eye wash and emergency shower facilities immediately available. Handle in accordance with good industrial hygiene and safety practice.

---

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

**APPEARANCE:** White

**ODOR:** Low chemical odor

**ODOR THRESHOLD:** No data available

**PHYSICAL STATE:** Liquid

**pH:** 6

**FREEZING POINT:** No data available

**BOILING POINT:** No data available

**FLASH POINT:** does not flash

**EVAPORATION RATE (N-Butyl Acetate = 1):** No data available

**FLAMABILITY (SOLID, GAS):** No data available

**UPPER/LOWER FLAMMABILITY:** No data available

**VAPOR PRESSURE (mmHg):** No data available  
@ 68°F (20.0°C)

**VAPOR DENSITY (AIR = 1):** No data available

**SPECIFIC GRAVITY (H<sub>2</sub>O = 1):** 1  
@ 77°F (25.0°C)



# MATERIAL SAFETY DATA SHEET

## Brewer's Defoamer

MSDS DATE: *revised 7/31/2012*

**SOLUBILITY IN WATER:** Dispersible

**PARTITION COEFFICIENT (N-Octanol/Water):** No data available

**AUTO-IGNITION TEMPERATURE:** No data available

**DECOMPOSITION TEMPERATURE:** No data available

**VISCOSITY:** 1,700 cps

---

### SECTION 10: STABILITY AND REACTIVITY

---

**REACTIVITY/POSSIBILITY OF HAZARDOUS REACTIONS:** Hazardous polymerization does not occur. Prevent oxidation by avoiding long-term exposure to air.

**CHEMICAL STABILITY:** Material is stable under normal conditions.

**CONDITIONS TO AVOID:** Keep away from heat, sparks, static discharge or flames.

**INCOMPATIBLE MATERIALS:** Strong acids and bases, including acidic clays; alkali metals; halogens; peroxides; vinyl chloride; and iodine pentafluoride.

**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** none

---

### SECTION 11: TOXICOLOGICAL INFORMATION

---

**ACUTE TOXICITY:** No data available

**SKIN CORROSION/IRRITATION:** None expected

**EYE DAMAGE/IRRITATION:** None expected

**RESPIRATORY OR SKIN SENSITIZATION:** The product is not expected to be sensitizing.

**GERM CELL MUTAGENICITY:** None expected

**CARCINOGENICITY:** No components present in excess of 0.1% by weight listed as carcinogens by OSHA, NTP, IARC or ACGIH.

**REPRODUCTIVE TOXICITY:** None expected

**SPECIFIC TARGET ORGAN TOXICITY**

**SINGLE EXPOSURE:** None expected

**REPEATED EXPOSURE:** None expected

**ASPIRATION HAZARD:** None expected

---

### SECTION 12: ECOLOGICAL INFORMATION

---

**ECOTOXICITY**

**Fish:** No data available

**Algae:** No data available

**Daphnia:** No data available

**PERSISTENCE AND DEGRADABILITY:** No data available

**BIOACCUMULATIVE POTENTIAL:** No data available



# MATERIAL SAFETY DATA SHEET

## Brewer's Defoamer

MSDS DATE: *revised 7/31/2012*

**MOBILITY IN SOIL:** No data available

**OTHER ADVERSE EFFECTS:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

---

### SECTION 13: DISPOSAL CONSIDERATIONS

---

**WASTE DISPOSAL METHOD:** Incinerate or dispose of in accordance with Local, State, and Federal Regulations. Commercially clean containers prior to disposal. Oil soaked rags should be disposed of properly to prevent spontaneous combustion. Do not allow this material to drain into sewers/water supplies. For the safety of persons conducting disposal, please refer to the information in section 8.

---

### SECTION 14: TRANSPORT INFORMATION

---

**DOT**

Not regulated

**IATA**

Not regulated

**IMDG**

Not regulated

**TDG**

Not regulated

**ENVIRONMENTAL HAZARDS:** The product is not a known marine pollutant as defined by 49 CFR part 171.8 or TDG regulations.

---

### SECTION 15: REGULATORY INFORMATION

---

**U.S. FEDERAL REGULATIONS:** This product is not a Hazardous Chemical as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List or exempt under 40 CFR 720.30.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT) reportable substances:**

not regulated

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**

**HAZARD CATEGORIES**

**IMMEDIATE HAZARD:** No

**DELAYED HAZARD:** No

**FIRE HAZARD:** No

**PRESSURE HAZARD:** No

**REACTIVE HAZARD:** No

**313 REPORTABLE INGREDIENTS:** No

**302 EXTREMELY HAZARDOUS SUBSTANCE:** No



# MATERIAL SAFETY DATA SHEET

## Brewer's Defoamer

MSDS DATE: *revised 7/31/2012*

**CALIFORNIA PROPOSITION 65:** *The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product does not contain any chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.*

---

### SECTION 16: OTHER INFORMATION

---

#### NFPA RATINGS

**HEALTH:** 1

**FIRE:** 1

**REACTIVITY:** 0

**DISCLAIMER:** THE INFORMATION CONTAINED HEREIN IS BASED ON CURRENTLY AVAILABLE KNOWLEDGE AND EXPERIENCE AND IS BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH USER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE OF THE MATERIAL. NO RESPONSIBILITY IS ACCEPTED THAT THE INFORMATION IN THIS MSDS IS SUFFICIENT OR CORRECT IN ALL CASES. USERS SHOULD CONSIDER THIS DATA ONLY AS A SUPPLEMENT TO OTHER INFORMATION OBTAINED BY THE USER. USERS SHOULD MAKE INDEPENDENT DETERMINATIONS OF SUITABILITY AND COMPLETENESS OF INFORMATION FROM ALL SOURCES TO ASSURE PROPER USE AND DISPOSAL OF THE MATERIAL, THE SAFETY AND HEALTH OF EMPLOYEES AND CUSTOMERS, AND THE PROTECTION OF THE ENVIRONMENT. THIS MSDS IS TO BE USED AS A GUIDELINE FOR SAFE WORK PRACTICES AND EMERGENCY RESPONSE. BREWER INTERNATIONAL, INCORPORATED MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.