

Material Safety Data Sheet Date Prepared: May 12, 2010 Supersedes Date: September 5, 2007

1. PRODUCT AND COMPANY IDENTIFICATION

AQUATROLS CORPORATION OF AMERICA

1273 IMPERIAL WAY

PAULSBORO, NJ 08066 USA

Emergency Phone Numbers:

For emergencies involving a spill, leak, fire, exposure or accident, contact CHEMTREC (800-424-9300 within the United States or 703-527-3887 for international collect calls).

For Product Information: 1-800-257-7797

Chemical Name or Synonym: Surfactant Blend

2. HAZARDS IDENTIFICATION

Emergency Overview

Physical Appearance: Amber / liquid, characteristic odor

Warning Statements: Caution! May cause skin and eye irritation

Potential Health Effects

Eyes: Slightly irritating. May cause redness, irritation.

Skin: Low acute dermal toxicity. Slightly irritating. May cause redness, irritation.

Ingestion: Low acute oral toxicity. May cause nausea, irritation.

Inhalation: Inhalation not likely. Mists may cause upper respiratory tract irritation.

Chronic Effects: This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA

as probable or suspected human carcinogens.

3. COMPOSITON / INFORMATION ON INGREDIENTS

	Product Composition	CAS Reg No.	<u>WGT. %</u>
A.	<u>Hazardous</u>		
	None		
В.	Non-Hazardous		
	Alkoxylated polyols	9003-11-6	~ 30%
	Glucoethers	68515-73-1	~ 21%
	Water	7732-18-5	~ 49%

4. FIRST AID MEASURES

Eyes: DO NOT RUB EYES. Immediately flush eyes with large amounts of water for 15 minutes lifting the

lower and upper lids. Seed medical attention if necessary.

Skin: Remove contaminated clothing and immediately was affected area with large amounts of water for

at least 5 minutes. If irritation or redness persists, seek medical attention as needed.

Ingestion: Give large amounts of water to drink. Seek medical attention if necessary. Induce vomiting only upon

advice from a physician.

Inhalation: Move individual to fresh air and check to assure adequate respiration. Seed medical attention if

necessary.

5. FIRE FIGHTING MEASURES

Flashpoint and Method: > 93°C (200°F) / Pensky-Martens closed cup

Flammable Limits: Lower: no data Upper: no data

Page 1 of 5



Material Safety Data Sheet Date Prepared: May 12, 2010 Supersedes Date: September 5, 2007

Extinguishing Media: Recommended (small fires): dry chemical, carbon dioxide;

Recommended (large fires): alcohol foam, universal foam, water spray

Not recommended: water jet (frothing possible.

Special Fire Fighting Procedures: Firefighters should wear NIOSH/MSHA approved self-contained

breathing apparatus and full protective clothing.

Unusual Fire and Explosion Hazards: Product will burn under fire conditions.

Hazardous Decomposition Materials

(Under fire conditions):

Oxides of carbon

6. ACCIDENTAL RELEASE MEASURES

Evacuation Procedures and Safety: Wear appropriate protective gear for the situation. See Personal Protection

information in Section 8.

Containment of Spill: Follow procedure described below under Cleanup and Disposal of Spill.

Cleanup and Disposal of Spill: Absorb with an inert absorbent. Sweep up and place in an appropriate closed

container (see Section 7: Handling and Storage). Clean up residual material by washing

area with water. Collect washings for disposal.

Environmental and Regulatory

Reporting:

Do not flush to drain. Prevent material from entering public sewer system or any

waterways. Spills may be reportable to the National Response Center (800-424-8802)

and to state and/or local agencies.

7. HANDLING AND STORAGE

Minimum/Maximum 8 to 45

Storage Temperatures:

8 to 45°C (46 to 113°F)

Handling: Avoid breathing vapors ad mists. Avoid direct or prolonged contact with skin and eyes. Ethylene

oxide may collect in container head space. Although concentrations are expected to remain below established exposure limits, provide adequate ventilation when accessing or working with

open containers and tanks.

Storage: Store in tightly closed containers. Store in an area that is dry, well-ventilated, away from ignition

sources, away from incompatible materials (see Section 10. Stability and Reactivity).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Introductory Remarks: These recommendations provide general guidance for handling this product. Because

specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should be handled

in accordance with Section 13: Disposal Considerations.

Assistance with selection, use and maintenance of worker protection equipment is

generally available from equipment manufacturers.

Exposure Guidelines: No exposure limits were found for this product or any of its ingredients. **Engineering Controls:** Where engineering controls are indicated by use conditions or a potential for

excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures: general area dilution/exhaust

ventilation.

Eyes and Face: Eye and face protection requirements will vary dependent upon work environment

conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material. Eye contact should be prevented through use of chemical safety glasses with side



Material Safety Data Sheet Date Prepared: May 12, 2010 Supersedes Date: September 5, 2007

shields or splash proof goggles. An emergency eye wash must be readily accessible to

the work area.

Skin: Skin contact should be minimized through use of gloves and suitable long-sleeved

clothing (i.e., shirts and pants). Consideration must be given both to durability as well

as permeation resistance.

Work Practice Controls: Personal hygiene is an important work practice expose control measure and the

following general measures should be taken when working with or handling this

material.

Comments: 1. Do not store, use and/or consume foods, beverages, tobacco products, or

cosmetics in areas where this material is stored.

2. Wash hands and face carefully before eating, drinking, using tobacco,

applying cosmetics, or using the toilet.

3. Wash exposed skin promptly to remove accidental splashes or contact with

this material.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Amber / liquid Odor: Characteristic pH: 5 - 7 at 5 wt/wt% Vapor Pressure: Not available **Vapor Density:** Not available **Boiling Point:** Not available **Freezing Point:** 8°C (46°F) **Melting Point:** Not available

Flashpoint and Method: > 93°C (200°F) / Pensky-Martens closed cup

Solubility in Water: Soluble

Evaporation Rate: < 1 (Butyl Acetate = 1) **Vapor Density:** Not available

Specific Gravity: > 1 at 25°C (77°F) **Viscosity:** Viscosity (centipoises): 174 cps at 25°C (77°F)

Percent Non-volatiles by wt 51.13

10. STABILITY AND REACTIVITY

Chemical Stable: This material is stable under normal handling and storage conditions described in

Section 7.

Hazardous Polymerization: Will not occur.

Materials / Chemicals to be Avoided Strong acids, strong oxidizing agents

Decomposition Type:Thermal – oxides of carbonConditions to Avoid:Heat, open flame, spark

11. TOXICOLOGICAL INFORMATION

Acute The following data are for similar or related products

Eyes: Eye irritation, rabbit – slightly irritating

Dermal: No test data found for product.

Oral LD₅₀: The following data is for similar or related products. Lethal dose 50% of test species, 5500

mg/kg, rat

Inhalation:No test data found for productRespiratory IrritationNo test data found for product



Material Safety Data Sheet Date Prepared: May 12, 2010 Supersedes Date: September 5, 2007

Chronic Toxicity: This product does not contain any substances that are considered by OSHA, NTP, IARC or

ACGIH to be "probable" or "suspected" human. No additional test data found for product.

12. ECOLOGICAL INFORMATION

Ectoxicological Information: No data found for product. **Chemical Fate Information:** No data found for product.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Chemical additions, processing or otherwise altering this material may make the waste

Method: management information presented in this MSDS incomplete, inaccurate or otherwise

inappropriate. Please be advised that state and local requirements for waste disposal may be more

 $restrictive\ or\ otherwise\ different\ from\ federal\ laws\ and\ regulations.\ Consult\ state\ and\ local$

regulations regarding the proper disposal of this material.

Container Handling and

Any containers or equipment used should be decontaminated immediately after use.

Disposal:

EPA Hazardous Waste: No

14. TRANSPORTATION INFORMATION

DOT (Department of Transportation)Not regulated

Proper Shipping Name: Cleaning Compound N0I

Primary Hazard Class / Division:

UN / NA Number:

NMFC# 48580 Sub 3

Packing Group:

NAERG: Label:

U.S. Customs Harmonization Number: 3402.13.0000.3

Road and Rail (ADR / RID)

AIR (ICAO / IATA)

VESSEL (IMO / IMDG)

Canada Transport of Dangerous Goods

Not available

Not available

15. REGULATORY INFORMATION

United States DOT Label Symbol and Hazard Classification Not regulated

TSCA (Toxic Substance Control Act):All functional components of this product are listed on the

TSCA inventory.

Canada (DSL):All ingredients are on the inventory.

Europe (EINECS / ELINCS):One or more ingredients fall under the polymer exemption or

are on the no longer polymer list. All other ingredients are on

the inventory or exempt from listing.
All ingredients are on the inventory.
All ingredients are on the inventory.

All ingredients are on the inventory.

SARA Title III Hazard Classes:

Fire Hazard No Reactive Hazard No

Page 4 of 5

Australia (AICS):

South Korea (KECL):

Japan (MITI):



Material Safety Data Sheet Date Prepared: May 12, 2010 Supersedes Date: September 5, 2007

Release of Pressure No
Acute Health Hazard No
Chronic Health Hazard No

FDA Status: This product meet the compositional requirements of:

21 CRF 175.105 Adhesives

21 CFR 176.180 Comp'ts of paper/paperboard cont. / dry food

21 CFR 176.200 Defoaming agents used in coating

California Proposition 65:This product contains the following components that are

regulated:

Ingredient Name Cancer List Reprod. List No Sign. Risk Lvl- CA

 Dioxane
 Y
 N
 30

 Ethylene Oxide
 Y
 N
 2

 Propylene Oxide
 Y
 N
 2

16. OTHER INFORMATION

Reason for Issue: Not applicable

Information Contact: Aquatrols Corporation of American – 800-257-7797

Revision Summary: Change and/or addition made to Sections 3, 6, and 14. Regulatory review and update. This revision

replaces MSDS dated September 5, 2007.

HMIS Rating

HEALTH:	1
FLAMMABILITY:	1
PHYSICAL HAZARD:	0
PERSONAL PROTECTION:	В

NFPA CODES

HEALTH:	1
FLAMMABILITY:	1
INSTABILITY:	0

Manufacturer Disclaimer: While the information and recommendations set forth herein are believed to be accurate, we make no warranty with respect hereto and disclaim all liability from reliance thereon

End of MSDS Document