

Pro League® Red

SDS Number: BLM017

Revision Date: 1/1/17

Page 1 of 5

1 **PRODUCT AND COMPANY IDENTIFICATION**

Manufacturer

PROFILE Products, LLC
750 LAKE COOK ROAD
SUITE 440
BUFFALO GROVE, IL 60089

Emergency: Emergency Phone: (800) 424-9300 (ChemTrec)
Contact: ChemTrec Acct #: CCN792719
Phone: (847) 215-1144
Fax: (847) 215-0577
Email: tech@profileproducts.com
Web: www.profileproducts.com

Product Name: Pro League® Red
Revision Date: 1/1/17
SDS Number: BLM017
Common Name: N.A.

Description: Calcined, non-swelling illite and non-crystalline opal CT mineral.

2 **HAZARDS IDENTIFICATION**

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):
Health, Specific target organ toxicity - Single exposure, 3

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **WARNING**

GHS Hazard Pictograms:



GHS Hazard Statements:

H335 - May cause respiratory irritation

GHS Precautionary Statements:

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Inhalation: Lungs
Skin Contact: Wash with soap and water until clean
Eye Contact: Wash out with water


Pro League® Red

SDS Number: BLM017

Revision Date: 1/1/17

Page 2 of 5

NFPA: Health = 1, Fire = 0, Reactivity = 0, Specific Hazard = n/a



3 COMPOSITION/INFORMATION OF INGREDIENTS

Ingredients:

| Cas# | % | Chemical Name |
|----------|------|----------------------------|
| 14808607 | 3-5% | Silica, crystalline quartz |

4 FIRST AID MEASURES

- Inhalation:** Move to fresh air.
- Skin Contact:** Wash thoroughly with soap and water.
- Eye Contact:** Flush thoroughly with water. See a physician if discomfort persists.
- Ingestion:** None. If large quantities are ingested consult your physician.

5 FIRE FIGHTING MEASURES

Non-flammable and non-hazardous

6 ACCIDENTAL RELEASE MEASURES

Steps to be taken in case material is released or spilled: If uncontaminated, sweep up or collect, and reuse as product. If contaminated with other materials, collect in suitable containers.

7 HANDLING AND STORAGE

- Handling Precautions:** Steps to be taken in case material is released or spilled: If uncontaminated, sweep up or collect, and reuse as product. If contaminated with other materials, collect in suitable containers.
- Storage Requirements:** Store in dry area.



Pro League® Red

SDS Number: BLM017

Revision Date: 1/1/17

Page 3 of 5

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protective Equipment:

Respiratory Protection: If dust concentrations exceed recommended Permissible Exposure Limits, use NIOSH- approved dust respirators, with approval TC-21C-xxx, until feasible engineering controls are completed.

Ventilation: Local exhaust or other ventilation that will reduce dust concentrations to less than Permissible Exposure Limits is recommended.

Eye Protection: If high dust concentrations exist, tight-fitting goggles are recommended to reduce dust exposure to the eyes.

Other Protective Equipment: Optional.

Exposure Limits (respirable fraction) in Air:

| | |
|-------------------|---|
| OSHA & MSHA - PEL | 10mg/m3 |
| | % SiO2 + 2 (8-Hour TWA) |
| ACGIH - TLV | 0.05 mg/cubic meter (8-Hour TWA) |
| NIOSH | 0.05mg/cubic meter (10-Hour TWA, 40-hour work week) |

Exposure Limits refer to the respirable fraction.

PEL means OSHA Permissible Exposure Limit.

TLV means American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value.

MSHA means Mine Safety and Health Administration Exposure Limit.

TWA means 8 hour Time Weighted Average.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Red colored granular particles

Physical State: Solid granular particles

Odor Threshold: Negligible

Particle Size: -8 mesh

Spec Grav./Density: N.A.

Boiling Point: N.A.

Flammability: N.A.

Partition Coefficient: N.A.

Vapor Pressure: N.A.

pH: 6.8

Evap. Rate: N.A.

Molecular weight: N.A.

Decomp Temp: N.A.

Odor: Negligible

Molecular Formula: Negligible

Solubility: Negligible

Heat Value: N.A.

Freezing/Melting Pt.: N.A.

Flash Point: N.A.

Octanol: N.A.

Vapor Density: N.A.

VOC: N.A.

Bulk Density: 40 lbs/cubic ft.

Auto-Ignition Temp: N.A.

UFL/LFL: N.A.

10 STABILITY AND REACTIVITY

Chemical Stability: Proleague Red is stable under all normal conditions.

Materials to Avoid: Unreacted polymer monomers

Hazardous Decomposition: None Known

Hazardous Polymerization: Will not occur.

**Pro League® Red**

SDS Number: BLM017

Revision Date: 1/1/17

Page 4 of 5

11

TOXICOLOGICAL INFORMATION

Inhalation- N.E.

Intravenous- Rat - LD50:15mg/kg

Oral - Rat - LD50:3160 mg/kg

12

ECOLOGICAL INFORMATION

Naturally occurring, inorganic, crystalline, absorbent, clay minerals, such as Attapulgite and Montmorillonite, are used in a wide variety of commercial, industrial, and consumer applications. Calcium bentonite and sodium bentonite clays, which are composed mostly of monmorillonite, have been listed for many years as Generally Recognized as Safe (GRAS) by the U.S. Food and Drug Administration (FDA) for use in human food and animal feed.

13

DISPOSAL CONSIDERATIONS

Can be disposed of in an approved disposal facility, in accordance with applicable federal, state, and local regulations. The nature and extent of contamination, if any, may require use of specialized disposal methods.

14

TRANSPORT INFORMATION

Ground Clay contains crystalline silica in solid form

WHMIS Classification D2A

WHMIS Label on each package

Not TDG regulated



Pro League® Red

SDS Number: BLM017

Revision Date: 1/1/17

Page 5 of 5

15 REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Silica, crystalline quartz (14808607) [3-5%] MASS, NRC, OSHAWAC, PA, TSCA, TXAIR

Regulatory CODE Descriptions

- MASS = MA Massachusetts Hazardous Substances List
 - NRC = Nationally Recognized Carcinogens
 - OSHA = OSHA Workplace Air Contaminants
 - PA = PA Right-To-Know List of Hazardous Substances
 - TSCA = Toxic Substances Control Act
 - TXAIR = TX Air Contaminants with Health Effects Screening Level
- COMPONENT / (CAS/PERC) / CODES

*silica, crystalline quartz (14808607 3-5%) MASS, NRC, OSHAWAC, PA, TSCA, TXAIR

REGULATORY KEY DESCRIPTIONS

- MASS = MA Massachusetts Hazardous Substances List
- NRC = Nationally Recognized Carcinogens
- OSHA = OSHA Workplace Air Contaminants
- PA = PA Right-To-Know List of Hazardous Substances
- TXAIR = TX Air Contaminants with Health Effects Screening Level

TSCA = Toxic Substances Control Act

16 OTHER INFORMATION

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).